

Figures





Figure 1. Location of Mamm Creek Study Area











Figure 3. Proximity to Methane-Bearing Wells


















Figure 6b.
May 2011 Potentiometric
Surface for Deep Wells







Figure 7. Water-Level Elevation Time Series Plot for Phase III Wells






Figure 8. Methane in Phase III Monitoring Wells Map





Figure 9. Chloride Concentration Map, Phase III Wells 2011 and 2012




Notes:

Gradients are calculated relative to vertical distance between center of screened intervals.

Negative vertical gradients indicate downward flow from the shallow well to the deeper well, and positive vertical gradients indicate upward flow from the deeper well to the shallow well.

Vertical Hydraulic Gradient in Nested Wells	DATE:	5/6/2013
	DESIGNED:	DJB
	CHECKED:	DJB
	APPROVED:	DJB
	DRAWN:	DJB
	PROJECT:	117-7050003
	FIGURE:	10



Circle sizes on Piper diamond are proportional to TDS concentrations.
Arrows indicate evolution between sampling events.

TITLE:

Piper Diagram for Phase III Groundwater Samples

LOCATION:

Garfield County, Colorado




TETRA TECH

CHECKED	CG
DRAFTED	ES
PROJECT	7050003
DATE	5/16/2013

FIGURE

11



Divisions according to well Depth

0-100 ft

101-200 ft

201-300 ft

301-400 ft


401-495 ft

Reproduced from Figure 4.11 of:
Phase II Hydrogeologic Characterization of the
Mamm Creek Field Area, Garfield County, Colorado
S.S. Papadopoulos & Assoc., September 2008

Piper Diagram for Phase II Domestic Well Groundwater Samples



DATE:	Sep2011
DESIGNED:	
CHECKED:	
APPROVED:	
DRAWN:	
PROJECT:	117-7050002
FIGURE:	12



Produced Water Samples - Grouped by TDS ranges

Less than 1,000 mg/L

5,000 - 10,000 mg/L

10,000 - 15,000 mg/L


Greater than 15,000 mg/L

Reproduced from Figure 4.15 of:
Phase II Hydrogeologic Characterization of the
Mamm Creek Field Area, Garfield County, Colorado
S.S. Papadopoulos & Assoc., September 2008


Piper Diagram for Phase II Produced Water Samples




DATE:	Sep2011
DESIGNED:	
CHECKED:	
APPROVED:	
DRAWN:	
PROJECT:	117-7050002
FIGURE:	13




**Figure 15a. Chloride Concentration Time Series in Groundwater in
Phase III Study Area 2004 to 2005**



**Figure 15b. Chloride Concentration Time Series in Groundwater in
Phase III Study Area 2004 to 2012**





TETRA TECH

Figure 16. Methane Concentration Map, Groundwater in and Around Phase III Study Area 2004 - 2012

Figure 17. Dissolved Methane Concentrations in Phase III wells in 2011 and 2012





Figure 18. Methane Concentration Time Series in Groundwater in Phase III Study Area 2004 to 2012



Note: Non-detect values are plotted at 1/2 the detection limit

Figure 19a. January 2011 - Carbon and Hydrogen Isotopes of Methane for Phase III Wells





Figure 19b. January 2011 - Comparative Molecular and Isotopic Compositions of Biogenic and Thermogenic Gas for Phase III Wells



Bernard Diagram (after Whiticar, 1990)

Figure 20a. May 2011 - Carbon and Hydrogen Isotopes of Methane for Phase III Wells





Figure 20b. May 2011 - Comparative Molecular and Isotopic Compositions of Biogenic and Thermogenic Gas for Phase III Wells



Bernard Diagram (after Whiticar, 1990)

Figure 21a. August 2012 - Carbon and Hydrogen Isotopes of Methane for Phase III Wells






Figure 21b. August 2012 - Comparative Molecular and Isotopic Compositions of Biogenic and Thermogenic Gas for Phase III Wells




Bernard Diagram (after Whiticar, 1990)

Figure 22a. December 2012 - Carbon and Hydrogen Isotopes of Methane for Phase III Wells




**Figure 22b. December 2012 - Comparative Molecular and Isotopic Compositions
of Biogenic and Thermogenic Gas for Phase III Wells**



Bernard Diagram (after Whiticar, 1990)

Figure 23. Carbon and Hydrogen Isotopes of Methane in West Divide Creek Seep Study Data






Figure 24. WDS Seep Isotopic Methane Signature Wells